

ARMONIA SOFT

The logo for Carimali, featuring a stylized white 'C' that curves around the left side of the word 'ARIMALI' in a bold, sans-serif font.



OVERVIEW

Over 10 million cups per day



Average daily production: 200 cups

BENEFIT

Reliable performance at entry level price

ADVANTAGES

Wide menu for premium self-service

LOCATIONS


Self-service canteens and communities





HIGHLIGHTS

Highlights



Dimension: 324x717x560 mm

Weight: 42 kg

Spouts clearance: 95 ÷ 155 mm

of bean hoppers: 1 or 2

Bean hopper capacity: 600 gr (1200 gr with extension)

of instant canister: 1 or 2

Instant Canister capacity: 1,5 l (3.0 l with extension)

Coffee boiler capacity: 1 l

Steam boiler capacity: 1 l

Brewing Unit: 2 different versions

M – Brew L > 8 ÷ 18 g

M – Brew XL > 9 ÷ 16 g



Highlights

717 mm



324 mm

Milk system: CARImilk

Water connection: mains

User interface: 7" touch screen (up to 30 selections)

Available colours: black or white

Voltage:

- 120 V 50/60 Hz
- 200 V 50/60 Hz
- 220-240 V 50/60 Hz

Watts: 1300 ÷ 3200 W depending on version

Communication protocol: MDB, Executive

Accessories: Fridge and Cup Warmer





TECHNOLOGIES

Espresso group



Benefits

Metal group with variable chamber for optimized extraction performance

Features

2 different versions:

M – Brew L > 8 ÷ 18 g

M – Brew XL > 9 ÷ 16 g

CARImilk



Steady performance under pressure

High fresh milk quality



carimali.com

The logo for Carimali, featuring a stylized white 'C' followed by the word 'ARIMALI' in a bold, sans-serif font. A horizontal line is positioned below the text.